

Prepared for:
Hemp Alternative

714 Folly Hill Road
Kennett Square, PA USA 19348

Hydrating Body Oil - 2024 Retest

Batch ID or Lot Number: Hydrating Body Oil - 2024 Retest	Test: Potency	Reported: 03Apr2024	USDA License: N/A
Matrix: Unit	Test ID: T000275634	Started: 01Apr2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 01Apr2024	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	8.426	23.811	91.680	0.60	# of Servings = 1, Sample Weight=160g
Cannabichromenic Acid (CBCA)	7.707	21.779	ND	ND	
Cannabidiol (CBD)	21.661	68.488	1835.660	11.50	
Cannabidiolic Acid (CBDA)	22.216	70.244	ND	ND	
Cannabidivarin (CBDV)	5.123	16.198	20.060	0.10	
Cannabidivarinic Acid (CBDVA)	9.268	29.302	ND	ND	
Cannabigerol (CBG)	4.784	13.519	ND	ND	
Cannabigerolic Acid (CBGA)	19.999	56.515	ND	ND	
Cannabinol (CBN)	6.241	17.637	ND	ND	
Cannabinolic Acid (CBNA)	13.644	38.559	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	23.825	67.330	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	21.638	61.148	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	19.171	54.177	ND	ND	
Tetrahydrocannabivarin (THCV)	4.351	12.297	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	16.910	47.786	ND	ND	
Total Cannabinoids			1947.400	12.20	
Total Potential THC			0.000	0.00	
Total Potential CBD			1835.660	11.50	

Final Approval



Karen Winternheimer
03Apr2024
01:32:00 PM MDT

PREPARED BY / DATE



Phillip Travisano
03Apr2024
01:35:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/11105c84-fd0b-46f0-a111-1244fab6ad62>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
11105c84fd0b46f0a1111244fab6ad62.1